General Information

Application: 65483

Status: CERTIFICATE

Certificate: 16593

Start new search

General

Owner(s): Sub Basin:

ETCHEGARAY, LEROY W. & MARY JEAN

Basin:

DIAMOND VALLEY - 153

Region:

CENTRAL

Basin Status:

DESIGNATED (ID)

Water Resource Specialist:

Shannon McDaniel

County:

EUREKA

Previous Applications (Base Rights)

No previous applications found

Source:

UNDERGROUND

Project Name: Use:

STOCKWATERING

Period Start:

Source Description:

Decree Name:

Period End:

1231

Point of Diversion Information:

Qtr-Qtr: SE

Qtr: SW

Section:

Township: 22N

Range: 54E

Duty Balance:

11.201485 AFA

Div Balance:

0.016

Well Log Nos.: 7890

Acre-Feet Storage: Remarks:

Well Logs: SUFFICIENT TO WATER 500 HEAD OF CATTLE

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

	OF THE STATE OF NEVADA
Date of filing in State Engineer's Office	SEP 09 1999
Returned to applicant for correction	
Corrected application filed	
Map filed	NOV 22 1966 under 19360

The applicant Leroy W. and MaryJe application for permission to appropriate the publ as hereinafter stated.	an Etchegaray, hereby make ic waters of the State of Nevada,

1. The source of the proposed appropriation is Un	nderground
2. The amount of water applied for is 0.25 c.f.	S. second-feet
(a) If stored in reservoir give number of a	cre-feet
3. The water to be used for Stockwater and Do	mestic
4. If use is for:	
(a) Irrigation, state number of acres to be	irrigated
(b) Stockwater, state number and kinds of an	imals to be watered 500 Cattle
(c) Other use (describe fully under No. 12.	"Remarks")
(d) Power: (1) Horsepower developed	
(2) Point of return of water to stream	m
5. The water is to be diverted from its source at Sec. 5, T.22N., R.54E., MDB&M, or at a Corner of said Sec. 5 bears S 45° E, a d	Doint from which the Cl/
6. Place of Use SW%, Sec. 5, T.22N., R.54E.	, MDB&M
7. Use will begin about $oldsymbol{January}$ 1 and end about	December 31, of each year.
 Description of proposed works Well, submersisystem. 	ble pump and distribution
9. Estimated cost of works \$5,000.00	
10. Estimated time required to construct works 1	year
11. Estimated time required to complete the applications and second seco	ation of water to beneficial use
12. Remarks: Water will be used to water supply domestic water to a single famiy 19360	c 500 head of cattle and residence. USE MAP UNDER
	Bruce L. Rice 4300-B Water Canyon Road Winnemucca, NV 89445
Compared cmf/bk hs/cmf	
Protested	

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to all existing rights on the source. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the period of use and the average number of livestock served from the waters of this source. It is further understood that this right must allow for a reasonable lowering of the static water level at permittee's well due to any other ground water development in the area. The well shall be equipped with a 2-inch opening for measuring depth to water. If well is flowing, a valve must be installed and maintained to prevent waste. The State retains the right to regulate the use of the water herein granted at any and all times but does not take responsibility for the use of the Federal range.

This permit does not extend the permittee the right of

ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

This permit is issued under the provisions of NRS 534.120(2) as a preferred use and no change to another use will be allowed.

· / · .

(CONTINUED ON PAGE 3)



The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0156 cubic feet per second, or sufficient to water 500 head of cattle.

Work must be prosecuted with reasonable diligence and be completed on or before:

May 9, 2001

Proof of completion of work shall be filed before: June 9. 2001

Water must be placed to beneficial use on or before:
May 9, 2004

Proof of the application of water to beneficial use shall be filed on or before: June 9, 2004

Map in support of proof of beneficial use shall be filed on or before: $\mathbf{N/A}$

IN TESTIMONY WHEREOF, I, R. MICHAEL TURNIPSEED, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office;

this oth day of May A D. 2000

State Engineer

Completion of work filed

JUL 1/3 2001

Proof of beneficial use filed

JUN 2 3 2004

Cultural map filed

N/A

Certificate No. 16593 Issued DFC 187

THE STATE OF NEVADA

CERTIFICATE OF APPROPRIATION OF WATER

WHEREAS, LeRoy W. Etchegaray, Permittee, has presented to the State Engineer of the State of Nevada Proof of Application of Water to Beneficial Use, from an underground source, through a drilled well, pump and distribution system for stockwater and domestic purposes. The point of diversion of water from the source is as follows:

SE% SW% Section 5, T.22N., R.54E., M.D.B.£M., or at a point from which the S% corner of said Section 5 bears S. 45° E., a distance of 1800 feet situated in Eureka County, State of Nevada.

NOW KNOW YE, That the State Engineer, under the provisions of NRS 533.425, has determined the date, source, purpose, amount of appropriation, and the place where such water is appurtenant, as follows:

Name of appropriator:

LeRoy W. and Mary Jean Etchegaray

Source:

Underground

Manner of Use:

Stockwater and Domestic

Amount of appropriation:

0.0156 c.f.s., or sufficient to water

500 head of cattle

Period of use:

January 1st to December 31st

of each year

Date of priority of

appropriation:

September 9,1999

Description of the works of diversion, manner and place of use:

Water is developed by means of a drilled well, 210 feet deep, 16 inch diameter casing, equipped with a Sears submersible pump and 1 H.P. motor powered by portable generator, thence through 1800 feet of 1-1/2 inch pipe to a residence and troughs where 500 head of cattle water within Section 5, T.22N., R.54E., M.D.B.&M.

This certificate is issued subject to the terms of the permit.

The right to water hereby determined is limited to the amount which can be beneficially used, not to exceed the amount above specified, and the use is restricted to the place and for the purpose as set forth herein.

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E., State Engineer of

Nevada, have hereunto set my hand and the seal of my office, this

8th day of December, A.D., 2005.

qkl/mjw

State-Engineer

Brownson

THE STATE OF NEVADA

CERTIFICATE OF APPROPRIATION OF WATER

WHEREAS, LeRoy W. Etchegaray, Permittee, has presented to the State Engineer of the State of Nevada Proof of Application of Water to Beneficial Use, from an underground source, through a drilled well, pump and distribution system for stockwater and domestic purposes. The point of diversion of water from the source is as follows:

SE% SW% Section 5, T.22N., R.54E., M.D.B.&M., or at a point from which the S% corner of said Section 5 bears S. 45° E., a distance of 1800 feet situated in Eureka County, State of Nevada.

NOW KNOW YE, That the State Engineer, under the provisions of NRS 533.425, has determined the date, source, purpose, amount of appropriation, and the place where such water is appurtenant, as follows:

Name of appropriator:

LeRoy W. and Mary Jean Etchegaray

Source:

Underground

Manner of Use:

Stockwater and Domestic

Amount of appropriation:

0.0156 c.f.s., or sufficient to water

500 head of cattle

Period of use:

January 1st to December 31st

of each year

Date of priority of appropriation:

September 9,1999

Description of the works of diversion, manner and place of use:

Water is developed by means of a drilled well, 210 feet deep, 16 inch diameter casing, equipped with a Sears submersible pump and 1 H.P. motor powered by portable generator, thence through 1800 feet of 1-1/2 inch pipe to a residence and troughs where 500 head of cattle water within Section 5, T.22N., R.54E., M.D.B.&M.

This certificate is issued subject to the terms of the permit.

The right to water hereby determined is limited to the amount which can be beneficially used, not to exceed the amount above specified, and the use is restricted to the place and for the purpose as set forth herein.

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E., State Engineer of

Nevada, have hereunto set my hand and the seal of my office, this

8th day of December, A.D., 2005.

gkl/mjw

State-Enginee

Place of Use Information

Application: 65483 | Status: CERTIFICATE | Certificate: 16593 | Start new search

Acreage Data

Total Acres Irrigated: 0 Use Units: 500 CATTLE

Remarks

None

Place of Use Data

QQ	Q	Section	Township	Range	ВМ	Acres	APN	County
	SW	05	22N	54E	MD	0.00	***************************************	***************************************

Maps and Due Dates

Application: 65483 | Status: CERTIFICATE | Certificate: 16593 | Start new search

Due Dates

Filing Date: Sent for Publication: Permit Date:

Cancel Portion:

Denied Date:

09/09/1999 09/29/1999 05/09/2000 Priority Date: Last Publication: Withdrawn Date:

09/09/1999 11/11/1999

Return Date: Ready for Action:

12/11/1999

Cancellation Date:

Forfeit Date: Cancellation Rescind:

Maps

	Filed Under:	Date:		Filed Under:	Date:
Proposed POD:	65483	11/22/1966	Existing POD:	Ī	
Proposed POU:			Existing POU:		
	1		Existing 1 OU.	1	

Proofs of Completion and Beneficial Use

***************************************	Due Date:	Received:	Filed:	Extension Due:	Extension Received:
POC:	06/09/2001	•	07/13/2001		
PBU:	06/09/2004		06/23/2004		· .

Other Dates and Requirements

Cultural Map Due: Forfeiture Due Date:

Temporary Expiration Date:

Received:

Extension Required: Filed Under: Forfeiture 19360

Certificate Date: 12-08-2005

Other Date:

Portion: Reporting Required: Forfeiture Filed: Forfeitur

.

Forfeiture Filed:

Remarks:

314,	ACREAGE	TOTAL AC				
			1			
39	54 E					2
40.	54 E.	22 N.	7	1/4 SE	SW	2
36	54 E.					20

STATE OF NEVADA, SE.

it, Robert W. Millard, heing first duly swern, depond this mop consisting of 1 sheet, he been correctly droughoust occupied in the sense of a survey mode aspectation and direction between the 18th and 20th 1856; that it fruly ond correctly represents the local of the works used to defert welf from underground a County, by Osea Andrew Pollard for friginging marroess und and 1936; That the point of directing improves with a circuity and model of the directing formers, business of the directing form which works and description devices, the incortion and eastern of londs owned by the opplicant uson which welfer opplied for und 6 in each 40-cores susdivision, and the location and other works or streams which are crossed by the

6 5

6 1936 is seed, do-cree subdivision, and the secotion and in each 40-cree subdivision, and the secotion other works or streams which are crossed by or soil works are fully and correctly designated there are fully and correctly designated there is State Woter Right Survivers to before me this 8th day don't be completed and sworn to before me this 8th day don't be completed to the complete of the the complete

MOTE:
Both well equipped with pumps but no motors. Well local
low point of entry. Sufficently stubbled to be obvious the
crop has been grown.

Excisting Well Permit No. 19361

38.056 Acs.

39.419 Acs

IRRIGATED

39.105 39.585 Acs.

38.428 Acs

T. 22 N, R. 54 E., M.D.B.8 M.

SYSTEM4 40328 (405

40.080 Acs.

39.171 Acs.

8 Se W.T. Boundy It - 11/2/67. 94

6 5

SPRINKLING

Wheat

COR. FOUND ~ 2 1/2" brass cap on 2" galv. ironpipe approximately 6" out of ground, bent over,

Note: The tond is irrigated by Sprinkling System. Sprinklers set North and South, 60° apart. 4" and 3" pipe is used at 30° interrals. CONTRACTOR NO. 6470 ISSUED 1-26-48

0 600 1200 SCALE ~ 1 IN

CERTIFICATE NO. 6491 ISSUED 1-36-68

15483 CENTINGATE NO. 16593 185URF 12-8-05

F. R.W. MILLARD & ASSOC, INC.

MAP TO ACCOMP BENEFICAL USE UN

IRRIG/

WELL LOG AND REPORT TO THE STATE ENGINEE OF NEVADA

198

202

204

210

4

4

26

clay

clay

clay

sand and clay

(OVER)

194

198

202

204

Log No. 1896 Rec. June 9 1964

				1	Permit No. 19360
	PLEA	SE COMPLE	THE THIS FORM IN ITS ENTIR	No. of Concession, Name of Street, or other Persons, Name of Street, or ot	Do not fill in.
Owner	Owen A. F	Collard	Dri	ller. Glen M	Addox
Address ar	nond Val	ley PO	Box 243 EUREKA. Ad	dress	Lic. No 369
Location o	f well: SE	4 SW 1/4 Se	ec. 5, T. 22 N/S, R. 54E,	in EUREKA	
					th of well 210 ft.
					er linear foot 35 lbs per ft.
					59°
Diameter a	nd length of	casing	(Casing 12" in diameter and under	r give inside diameter	; casing 12" in diameter give outside diameter.)
If flowing v	well give flow	v in c.f.s. or	g.p.m. and pressure	0	
If nonflowi	ng well give	depth of st	anding water from surface	5 ft.	
					s of valve, etc.)
					of well Aug. 22, 1963
Type of we	ll rigRe	rerse c	irculation drilling		
		LOG	OF FORMATIONS		Water-bearing Formation, Casing
From	To feet	Thickness feet	Type of materia	1	Perforations, etc.
0	3	3	top soil		
3	6 20	3 14	sand and gravel		Chief aquifer (water-bearing formation)
20	26	6	Clay and gravel black sand		from80to
26	70	44	black clay		Other aquifers 134 to 200
70 80	80 85	10	gray clay black sand		
85	90	5	sand and clay		
90	92	2	layers sand and	clay	
92	96	4	layers		
96	100	4	sand		
100 120	120 130	20	clay		***************************************
130	140	10	clay clay		First water at 20 feet.
140	149		sand		
149	152	3	clay		Occion and and d
152	155	3	sand and clay		Casing perforated
	58	93332	clay		from 80 to 100 ft
158	160		sand		134 to 210
160 170	170 175	10	sand and gravel		Size of perforations
175	194	5 19	sand and gravel		1/8machine perforated
	1		J		Management Bank and and

From	To feet	Thickness			Type o	f material
			21			
*						
			7.			
2						
			4.			
						Z *
)	L		CASING	RECORD	
Diam. casing	From feet	To feet	Length			KS—Seals, Grouting, etc.
Casing	1000	1001				
				a		
				4		
		1				
		Gl	ENERAL INI	FORMATION—I	Pumping Test, Quality	of Water, etc.
	50 S			enterente anna territoripumentan e enter tama tama tamanida.	and an event entire and electric resident to the P and electric states and all	
***************************************	Total Statement of the				And the second of the second of the second of the second second second second second second second second second	
170 02000 0200	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					
	ANY AND THE THE PARTY AND THE	AMERICANA QUICADO EM UM 1100 ME			- 10. 01 0 000 - 1000 10 0 000 0 0 00000 000000 0000000	
1			STATEME			(Not to be filled in by Driller)
above in	ll was drill formation i	ed under n s true to m	ny jurisdicti y best infor	on and the mation and		
belief.	S:1	91.	77) Carel	2-6-		
	Signed.	for hallow to in	Well Driller			
]	Ву					
						72 01 40 - 6 - 41A - 25-4
Dated			, 19	••	1	7.5.11 44 - AM
					•	
					3 mily (1/4 m) 3 m) 3 m) 10 m) 10 m) 10 m) 10 m)	

Ownership and Title

Application: 65483 | Status: CERTIFICATE | Certificate: 16593 | Start new search

Current Ownership Information

(NOTE: Owner names shown here are standardized for retreival purposes only. Verify legal names before submitting any new documentation.)

Owner	Type	Div Rate	Duty	Acres	Change By	APN	County	Description
ETCHEGARAY, LEROY W. & MARY JEAN	В	0.016	11.201485	0				

Confirmed By:

Effective Date:

Original Owner(s)

ETCHEGARAY, LEROY W. & MARY JEAN

Remarks

None